



Current Data Parameters  
NAME JH-troc pyrrole dried  
EXPNO 47  
PROCNO 1

F2 - Acquisition Parameters

Date\_ 20220110  
Time 19.10 h  
INSTRUM Avance  
PROBHD Z163739\_0080 (  
PULPROG hsqcetdgpsp.3  
TD 1024  
SOLVENT CDCl3  
NS 1  
DS 32  
SWH 4716.981 Hz  
FIDRES 9.212853 Hz  
AQ 0.1085440 sec  
RG 101  
DW 106.000 usec  
DE 6.50 usec  
TE 298.0 K  
CNST2 145.0000000  
D0 0.00000300 sec  
D1 1.00000000 sec  
D4 0.00172414 sec  
D11 0.03000000 sec  
D16 0.00020000 sec  
D21 0.00360000 sec  
IN0 0.00002615 sec  
TDAV 1  
ZGPGTNS

SFO1 400.1518818 MHz  
NUC1 1H  
P1 10.00 usec  
P2 20.00 usec  
PLW1 14.32999992 W  
SFO2 100.6253421 MHz  
NUC2 13C  
CPDPRG2 garp4  
P3 10.00 usec  
P14 500.00 usec  
P31 2119.00 usec  
PCPD2 80.00 usec  
PLW0 0 W  
PLW2 61.49200058 W  
PLW12 0.96081001 W  
SPNAM[3] Crp60,0.5,20.1  
SPOAL3 0.500  
SPOFFS3 0 Hz  
SPW3 9.39529991 W  
SPNAM[18] Crp60\_xfilt.2  
SPOAL18 0.500  
SPOFFS18 0 Hz  
SPW18 1.80990005 W  
GPNAM[1] SMSQ10.100  
GPZ1 80.00 %  
GPNAM[2] SMSQ10.100  
GPZ2 20.10 %  
P16 1000.00 usec

===== F1 INDIRECT DIMENSION =====  
td1 256  
sw\_F1 190.000000

F1 - Acquisition parameters  
TD 256  
SFO1 100.6253 MHz  
FIDRES 149.378586 Hz  
SW 190.016 ppm  
FnMODE Echo-Antiecho

F2 - Processing parameters  
SI 1024  
SF 400.1500000 MHz  
WDW QSINE  
SSB 2  
LB 0 Hz  
GB 0  
PC 1.40

F1 - Processing parameters  
SI 960  
MC2 echo-antiecho  
SF 100.6177975 MHz  
WDW QSINE  
SSB 2  
LB 0 Hz  
GB 0

