


mlo416\_column

Sample Name **mlo416\_column**  
Date collected **2019-01-16**

Pulse sequence **CARBON**  
Solvent **cdcl3**


Temperature **25**  
Spectrometer **chpc-nmr500a-vnmrs500**

Study owner **mlo22**  
Operator **mlo22**



## mlo416\_column

Sample Name	mlo416_column	Pulse sequence	CARBON	Temperature	25	Study owner	mlo22
Date collected	2019-01-16	Solvent	cdcl3	Spectrometer	chpc-nmr500a-vnmrs500	Operator	mlo22



## SAMPLE

date Jan 16 2019  
solvent cdcl3  
file /home/bath/vnmrsys  
/data/mlo22/mlo416\_colum  
n\_20190116\_01/CARBON\_01.  
fid

wet

n

## SPECIAL

temp 25.0  
gain 30  
spin 0  
hst 0.008  
pw90 9.738  
alfa 10.000

## ACQUISITION

sw 31250.0  
at 1.049  
np 65536  
fb 17000  
bs 64  
d1 1.000  
nt 2000  
ct 2000

## FLAGS

il n  
in n  
dp y  
hs nn

## PROCESSING

lb 0.50  
fn not used

## TRANSMITTER

tn C13  
sfrq 125.753  
tof 1914.6  
tpwr 58  
pw 4.869

## DISPLAY

sp -1792.7  
wp 31249.0  
rfi 1793.7  
rfp 0  
rp 145.0  
lp 0

## DECOUPLER

dn H1  
dof 0  
dm yyy  
decwave w  
dpwr 40  
dmf 12346

## PLOT

wc 234  
sc 8  
vs 632262  
th 26

## PRESATURATION

satmode n

ai cdc ph

Plotname: CARBON\_01\_plot01

Data file /home/bath/vnmrsys/data/mlo22/mlo416\_column\_20190116\_01/CARBON\_01.fid

Plot date 2019-01-16