


mlo247_column

Sample Name **mlo247_column**
Date collected **2018-07-26**

Pulse sequence **CARBON**
Solvent **cdcl3**


Temperature **25**
Spectrometer **chpc-nmr500a-vnmrs500**

Study owner **mlo22**
Operator **mlo22**



mlo247_column

Sample Name	mlo247_column	Pulse sequence	CARBON	Temperature	25	Study owner	mlo22
Date collected	2018-07-26	Solvent	cdcl3	Spectrometer	chpc-nmr500a-vnmrs500	Operator	mlo22



SAMPLE

date Jul 26 2018
solvent cdcl3
file /home/bath/vnmrsys
/data/mlo22/mlo247_colum
n_20180726_01/CARBON_01.
fid

wet

n

SPECIAL

temp 25.0
gain 30
spin 0
hst 0.008
pw90 9.738
alfa 10.000

ACQUISITION

sw 31250.0
at 1.049
np 65536
fb 17000
bs 64
d1 1.000
nt 256
ct 256

FLAGS

il n
in n
dp y
hs nn

PROCESSING

lb 0.50
fn not used

TRANSMITTER

tn C13
sfrq 125.753
tof 1914.6
tpwr 58
pw 4.869

DISPLAY

sp -1792.7
wp 31249.0
rfi 1793.7
rfp 0
rp 49.5
lp 0

DECOUPLER

dn H1
dof 0
dm yyy
decwave w
dpwr 40
dmf 12346

PLOT

wc 234
sc 8
vs 138815
th 16

PRESATURATION

satmode n

ai cdc ph

Plotname: CARBON_01_plot01

Data file /home/bath/vnmrsys/data/mlo22/mlo247_column_20180726_01/CARBON_01.fid

Plot date 2018-07-26