


**MLO180**


Sample Name **MLO180**  
Date collected **2017-09-18**

Pulse sequence **PROTON**  
Solvent **cdcl3**

Temperature **25**  
Spectrometer **chpc-nmr500a-vnmrs500**

Study owner **mlo22**  
Operator **mlo22**



**MLO180**Sample Name **MLO180**  
Date collected **2017-09-18**Pulse sequence **PROTON**  
Solvent **cdcl3**Temperature **25**  
Spectrometer **chpc-nmr500a-vnmrs500**Study owner **mlo22**  
Operator **mlo22**

SAMPLE		wet	n
date <b>Sep 18 2017</b>		<b>SPECIAL</b>	
solvent <b>cdcl3</b>			
file <b>/home/bath/vnmrsys</b>		temp	<b>25.0</b>
<b>/data/mlo22/MLO180_20170</b>		gain	<b>24</b>
<b>918_01/PROTON_01.fid</b>		spin	<b>20</b>
		hst	<b>0.008</b>
		pw90	<b>7.600</b>
		alfa	<b>10.000</b>
ACQUISITION			
sw	<b>8012.8</b>	<b>FLAGS</b>	
at	<b>2.045</b>	il	<b>n</b>
np	<b>32768</b>	in	<b>n</b>
fb	<b>4000</b>	dp	<b>y</b>
bs	<b>32</b>	hs	<b>nn</b>
d1	<b>1.000</b>		
nt	<b>8</b>	<b>PROCESSING</b>	
ct	<b>8</b>		
TRANSMITTER		fn	<b>65536</b>
tn	<b>H1</b>	<b>DISPLAY</b>	
sfrq	<b>500.060</b>	sp	<b>-1005.8</b>
tof	<b>500.0</b>	wp	<b>8012.6</b>
tpwr	<b>61</b>	rfl	<b>1006.1</b>
pw	<b>3.800</b>	rfp	<b>0</b>
DECOUPLER		rp	<b>147.9</b>
dn		lp	<b>0</b>
dof	<b>0</b>	<b>PLOT</b>	
dm	<b>nnn</b>	wc	<b>234</b>
decwave	<b>W40_HCN5mm</b>	sc	<b>8</b>
dpwr	<b>38</b>	vs	<b>85</b>
dmf	<b>32258</b>	th	<b>44</b>
PRESATURATION		ai cdc ph	
satmode	<b>n</b>		

Plotname: **PROTON\_01\_plot01**Data file **/home/bath/vnmrsys/data/mlo22/MLO180\_20170918\_01/PROTON\_01.fid**Plot date **2017-09-18**